

WATERBORNE PAINT

Revised Date: 07-23-2015 Supersedes: 09-23-2014

Category 1A

Category 1

1. Identification

Product identifier WATERBORNE PAINT

Synonyms Road Marking Paint, Traffic Marking Paint

Recommended useTraffic MarkingRecommended restrictionsNone knownGeneral Assistance334-213-2995

E-Mail contact@ozarkmaterials.net

Contact Person Derron Henderson

Emergency Telephone 404-786-1277

2. Hazard(s) Identification

Physical hazards None known

Health hazardsAcute toxicity, oralCategory 4Acute toxicity, dermalCategory 3Acute toxicity, inhalationCategory 3Serious eye damage/eye irritationCategory 2AGerm cell mutagenicityCategory 2

Specific target organ toxicity, single exposure (lungs, liver, kidney,

central nervous system)

Specific target organ toxicity, repeated exposure (lungs)

Category 1

Label elements



Carcinogenicity



Signal word Danger

Harmful if swallowed. Toxic in contact with skin or if inhaled. Causes serious eye

irritation. Suspected of causing genetic defects. May cause cancer. Causes damage to lungs, liver, kidney, central nervous system. Causes damage to lungs through

prolonged or repeated exposure.

Precautionary statement

Prevention Wash skin thoroughly after handling. Do not eat, drink or smoke when using this

product. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not

breathe dust/fume/gas/mist/vapors/spray.

Response IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth.

IF ON SKIN: wash with plenty of soap and water. Call a POISON CENTER or doctor/physician if you feel unwell. Take off immediately all contaminated clothing &

wash it before reuse.

IF INHALED: Remove victim to fresh air & keep at rest in a position comfortable for

breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present & easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

If exposed or concerned: Call a POISON CENTER or physician.

Storage Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Disposal Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

3. Composition/information on ingredients

Mixtures				
Chemical name	CAS number	%		
Calcium carbonate	1317-65-3	0-65		
Titanium dioxide	13463-67-7	0-10		
Methanol	67-56-1	0-7		
Carbon black	1333-86-4	0-4		
Propylene Glycol	57-55-6	0-4		
Quartz	14808-60-7	0.07-0.3		

The criteria for listing components in the composition are as follows: Carcinogens are listed when present at 0.1% or greater; components which are otherwise hazardous according to OSHA are listed when present at 1.0% or greater. Non-hazardous components may be listed at 3.0% or greater if not proprietary in nature. This is not intended to be complete compositional disclosure. Refer to section 15 for applicable states right-to-know and other regulatory information.

4. First-aid measures	
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms
	persist, call a physician.
Skin contact	Wash off immediately with plenty of water. Remove & wash
	contaminated clothing before reuse. If symptoms persist, call a
	physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at
	least 15 minutes. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an
	unconscious person. Drink plenty of water. If symptoms persist, call a
	physician.
Most important symptoms/effects, acute	Respiratory and lungs disorders. Skin disorders. Liver disorders. Kidney
and delayed	disorders. Central nervous system problem depression.
Indication of immediate medical	In case of shortness of breath, give oxygen. Keep victim warm. Keep
attention & special treatment needed	victim under observation. Symptoms may be delayed.
Consultatementian	
General information	If exposed or concerned: get medical attention/advice. Ensure that
	medical personnel are aware of the material(s) involved, and take
	precautions to protect themselves. Show this safety data sheet to the
	doctor in attendance. Wash contaminated clothing before re-use.

5. Fire-fighting measures	
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Combustion products may include and are not limited to Carbon oxides (COx), Nitrogen oxides (NOx).
Special protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective Use personal protective equipment. Ensure adequate ventilation. Avoid equipment & emergency procedures

contact with skin, eyes and clothing.

Environmental precautions Prevent product from entering drains. Do not flush into surface water or

sanitary sewer system.

Methods and materials for containment

and cleaning up

Prevent further leakage or spillage if safe to do so. Use personal protective equipment. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Clean up promptly by sweeping or

vacuum. Keep in suitable and closed containers for disposal.

7. Handling and storage

Precautions for safe handling Ensure adequate ventilation. Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this

product.

Conditions for safe storage, including

any incompatibilities

Keep container tightly closed. Keep in properly labeled containers. Keep

out of the reach of children.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Туре	Value
Calcium carbonate (CAS#1317-65-3)	PEL(TWA)	15 mg/m ³ (total dust), 5 mg/m ³ (respirable)
Titanium dioxide (CAS#13463-67-7)	PEL(TWA)	15 mg/m ³
Methanol (CAS# 67-56-1)	PEL(TWA)	260 mg/m ³
Carbon black (CAS#1333-86-4)	PEL(TWA)	3.5 mg/m ³
Quartz (CAS#14808-60-7)	PEL (TWA)	0.1 mg/m ³ (vacated)

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value

15 mg/m³ (total dust), 5 mg/m³ (respirable) 8-hour TWA Calcium carbonate (CAS#1317-65-3)

15 mg/m³ (total dust) Titanium dioxide (CAS#13463-67-7) 8-hour TWA

260 mg/m³ Methanol (CAS# 67-56-1) 8-hour TWA 3.5 mg/m^3 Carbon black (CAS#1333-86-4) 8-hour TWA

None of the components in this product is listed. US. OSHA Table Z-2 (29 CFR 1910.1000)

US. OSHA Table Z-3 Mineral dusts (29 CFR 1910.1000)

Components	Туре	Value
Quartz (CAS#14808-60-7)	TWA	10 mg/m³ (respirable)
		%SiO₂+2
		30 mg/m³ (Total dust)
		%SiO ₂ +2

Tyna

US. ACGIH Threshold Limit Values

Components

Type	value
TLV(TWA)	10 mg/m³ (total dust)
TLV(STEL)	250 ppm
TLV(TWA)	3 mg/m³ (Inhalable)
TLV(TWA)	0.025 mg/m ³ (respirable)
	TLV(TWA) TLV(STEL) TLV(TWA)

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value
Calcium carbonate (CAS#1317-65-3)	REL(TWA)	10 mg/m ³ (total dust), 5 mg/m ³ (respirable)
Methanol (CAS# 67-56-1)	REL(TWA)	260 mg/m ³

مبيادي

Carbon black (CAS#1333-86-4) REL(TWA) 3.5 mg/m³

Quartz (CAS#14808-60-7) REL(TWA) Ca 0.05 mg/m3 (respirable dust)

Appropriate engineering controls Facilities storing or utilizing this material should be equipped with an

eyewash facility and safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

Individual protection measures, such as personal protective equipment







Eye/face protection
Skin protection

Wear protective eyewear (safety glasses).

.. protection

Hand protection Protective gloves.

Other

Impervious clothing. Dispose of contaminated gloves after use in accordance

with applicable laws and good work hygiene practices.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA

approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

Thermal hazards W

General hygiene considerations

Wear appropriate thermal protective clothing, when necessary.

Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after

handling the product. Keep away from food, drink and animal feeding stuffs.

9. Physical and chemical properties

Appearance

Physical state Emulsion Form Liquid

Color White, Yellow, Black, Blue, Green, Red

Odor Slight, Ammonia **Odor threshold** Not Available рΗ Not Available Melting point/freezing point Not Available Initial boiling point and boiling range Not Available Flash point > 201°F (>93.8°C) **Evaporation rate** Not Available Flammability (solid, gas) Not flammable

Upper/lower flammability or explosive limits

Flammability limit – lower (%)
Flammability limit – upper (%)
Explosive limit - lower (%)
Explosive limit - upper (%)
Not Available
Not Available
Vapor pressure
Vapor density
Relative density (specific gravity)
Not Available
1.55 - 1.75

Solubility(ies)

Solubility (water)

Partition coefficient (n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Insoluble

Not Available

Not Available

Viscosity Not Available

10. Stability and reactivity

Reactivity Not Available.

Chemical stabilityStable under recommended storage conditions.Possibility of hazardous reactionsHazardous polymerization does not occur.Conditions to avoidNone known based on information supplied.

Incompatible materials Acids, strong oxidizing agents.

Hazardous decomposition Products Carbon oxides. Nitrogen oxides (NOx).

11. Toxicological information

Information on likely routes of exposure

Ingestion Harmful if swallowed. May cause blindness if swallowed. May cause

additional affects as listed under "Inhalation".

Inhalation Toxic if inhaled. May cause central nervous system depression with

nausea, headache, dizziness, vomiting, and in-coordination. Sanding and

grinding dust may be harmful if inhaled.

Skin contact Toxic in contact with skin. May cause irritation.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, Respiratory and lungs disorders. Skin disorders. Liver disorders. Kidney

chemical & toxicological characteristics disorders. Central nervous system depression.

Delayed & immediate effects & also chronic effects from short- and long-

term exposure

Inhalation exposure to respirable levels of crystalline silica may cause respiratory impairment and lung damage. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1). Inhalation, ingestion, or skin

absorption of methanol can cause blindness.

Numerical measures of toxicity

Components	Test	Species	Test Results
Titanium dioxide (CAS#13463-67-7)	Oral LD ₅₀	Rat	>5000 mg/kg
	Inhalation LC ₅₀	Rat	>3.43 mg/l
Methanol (CAS#67-56-1)	Oral LD ₅₀	Human	300 mg/kg
	Dermal LD ₅₀	Human	1000 mg/kg
	Inhalation LC ₅₀	Human	10 mg/l

Propylene Glycol (cas#57-55-6) Oral LD_{50} Rat 22000 mg/kg

Skin corrosion/irritation No data available.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitizationNo data available. **Skin sensitization**No data available.

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS#13463-67-7) 2B "Possibly carcinogenic to humans". Carbon black (CAS#1333-86-4) 2B "Possibly Carcinogenic to Humans".

Quartz (CAS#14808-60-7) 1 "Carcinogenic to humans".

NTP Report on Carcinogens

Titanium dioxide (CAS#13463-67-7) Not listed. Carbon black (CAS#1333-86-4) Not listed.

Quartz (CAS#14808-60-7) Known "Known to be a Human Carcinogen".

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None of the components in this product is listed.

Reproductive toxicityNo data available.

Specific target organ toxicity – single exposureCauses damage to lungs, liver, kidney, central nervous system.

Specific target organ toxicity – repeated exposure

Aspiration hazard

Causes damage to lungs through prolonged or repeated exposure.

No data available.

12. Ecological information

Numerical measures of toxicity			
Components	Test	Species	Test Results
Titanium dioxide (CAS#13463-67-7)	Crustacea EC ₅₀	Water flea (Daphnia magna)	>100 mg/l, 48 Hours
Methanol (CAS#67-56-1)	Fish EC ₅₀	Bluegill (Lepomis macrochirus)	12700 mg/l, 96 Hours
Propylene Glycol (CAS#57-55-6)	Crustacea LC ₅₀	Shrimp (Mysidopsis bahia)	18800 mg/l, 96 Hours
Persistence and degradability	Not available		

Persistence and degradability

Bioaccumulative potential

Mobility in soil

Other adverse effects

Not available

Not available

None known

13. Disposal considerations

Disposal instructions

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Hazardous waste code

US RCRA Hazardous Waste F List: Reference Methyl alcohol (CAS 67-56-1) F039
US RCRA Hazardous Waste U List: Reference Methyl alcohol (CAS 67-56-1) U154

Contaminated packaging Do not re-use empty containers.

14. Transport information

In Accordance with DOT

In Accordance with IMDG

Not regulated for transport.

Not regulated for transport.

Not regulated for transport.

Not regulated for transport.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None of the components in this product is regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Calcium carbonate (CAS#1317-65-3)

Titanium dioxide (CAS#13463-67-7)

Titaliidii dioxide (CAS#15405-07

Methanol (CAS#67-56-1)

Carbon black (CAS#1333-86-4)

Quartz (CAS#14808-60-7)

CERCLA Hazardous Substance List (40 CFR 302.4)

Methanol (CAS 67-56-1) Listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302/304 Extremely hazardous substance

None of the components in this product is listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

Chemical NameCAS number% by wt.Methanol67-56-10-7

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methanol (CAS 67-56-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not listed.

Safe Drinking Water Act (SDWA)

Not listed.

US State regulations WARNING: This product contains chemicals known to the State of California to cause cancer.

US. Massachusetts RTK - Substance List

Calcium carbonate (CAS#1317-65-3)

Titanium dioxide (CAS#13463-67-7)

Methanol (CAS#67-56-1)

Carbon black (CAS#1333-86-4)

Propylene Glycol (CAS#57-55-6)

Quartz (CAS#14808-60-7)

US. New Jersey Worker and Community Right-to-Know Act

Calcium carbonate (CAS 1317-65-3)

Titanium dioxide (CAS#13463-67-7)

Methanol (CAS 67-56-1)

Carbon black (CAS#1333-86-4)

Propylene Glycol (CAS 57-55-6)

Quartz (CAS#14808-60-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Calcium carbonate (CAS 1317-65-3)

Titanium dioxide (CAS#13463-67-7)

Methanol (CAS 67-56-1)

Carbon black (CAS#1333-86-4)

Propylene Glycol (CAS 57-55-6)

Quartz (CAS#14808-60-7)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Carbon black (CAS#1333-86-4)

Quartz (CAS 14808-60-7)

Canada regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR).

WHMIS classification

D1B Materials Causing Immediate and Serious Toxic Effects

D2A Materials Causing Other Toxic Effects

D2B Materials Causing Other Toxic Effects



International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non- Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substance (EINECS)	ces No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing & New Chemical Substances (ENCS)	Yes
Korea	Existing Chemical List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals & Chemical Substances (PIC	CS) Yes
United States & Puerto Rico	United States & Puerto Rico	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).


16. Other information, including date of preparation or last revision

 Issue date
 09-23-2013

 Revision date
 07-23-2015

Version # 1

NFPA Ratings



References ACGIH: Documentation of the Threshold Limit Values and Biological Exposure indices

ECHA: European Chemicals Agency HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

NIOSH: The National Institute for Occupational Safety and Health

NTP: National Toxicology Program
NLM: Hazardous Substances Data Base

OECD: Organization for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

Disclaimer: The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. Because of conditions of use are beyond our control, no guarantee, representation or warranty expressed or implied is made. We urge each customer or recipient of this SDS to study it carefully to become aware of and understand the potential hazards associated with the product. Customary precautionary measures for handling chemicals should be followed.

Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. Since conditions for use of this product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Any use of the product not in conformance with this SDS or in combination with any other product or process is the responsibility of the user. Consult Ozark Materials, LLC for further information.

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).